

Akfix[®]
■ MASTER OF SOLUTIONS ■

Aerosol Products



Creates Permanent Solutions



Scan QR code for product video.

A40 MAGIC

CORROSION INHIBITOR, LUBRICANT AND MULTI PURPOSE PROTECTOR SPRAY

Corrosion Inhibitor, Lubricant and Multi Purpose Protector aerosol Spray. It's special formula combines many properties such as cleaning, lubricating, loosening rusted part, driving out moisture. It can be used in industrial, home and daily labors.

- Ultimate Penetrating
- Loosens Rust
- Does Not Contain Silicone

Application Areas

In all fittings, door and window mechanisms, locks, handles, hinges. For annulling humidity on metallic surfaces of bikes, motorbikes, small motor vehicles, electronic contacts and other home tools such as drills, jigsaws, etc. For loosening and activating rusted and jammed mechanisms. Can be used as protective on surfaces vulnerable to water and rust. For dissolving adhesive materials like tar, gum, adhesive tapes etc. Can be used for cleaning and maintenance of weapons.

Features

Ultimate penetrating ability. Loosens rusted or corroded bolts, nuts, cables and any other fasteners. Greases and loosens door and window hinges, locks, and other fittings. Decreases frictions and stops squeaks of pedals, chairs, windows, faucets and hinges. Does not contain silicone and any dirt trap additives. Drives the moist out of the surface and dries it out thus provides longtime lubricating effect. Protects metal parts against rust. Provides maintenance by penetrating into surface and protects it against dirt. Dissolves tar, gum, adhesive etc. Permeates into grease and dirt and creates a protective film layer on the surface.


Technical Properties

Form	: Aerosol
Colour	: Yellowish
Water solubility	: Insoluble

Package

Stock Code	Type	Volume	Box
YA420	-	200 ML	24/96
YA440	-	400 ml	24/48





A60 ELECTRICAL CONTACT CLEANER

A product designed to remove flux and other surface contaminants. The product evaporates quickly from the surface without leaving any residue but protective layer. It is designed for cleaning grease, dirt etc. from electric, electronic equipment.

- Quickly Effects
- Non-Conductive, Non-Corrosive,
- Evaporates Quickly

Application Areas

Calculators. Computers. Digital Equipment. Electronic Ignitions. Navigation. Equipment. Printed Circuits. Radars. Radios. Switches and Relays. Circuit breakers. Alarm and signal systems. Terminals. Plugs and sockets.

Features

Fast cleaning action for removal of flux traces, light oils, finger prints and other contaminants. Periodic planned application prolongs the life expectancy of components. Non-conductive and non-corrosive. Evaporates completely, with a very thin protective layer. Safe for all metal surfaces, most rubbers, plastics and coatings. It is recommended to be tested on sensitive plastics, adhesive-mounted or stressed parts. Convenient to use 360° (upside-down).

Technical Properties

Form	: Aerosol
Appearance	: Clear colorless liquid
Specific gravity	: 0,802
Color	: Colorless
Odor	: Solvent

Package

Stock Code	Type	Volume	Box
YAE60	-	400 ML	12



A70 PENETRATING OIL SPRAY

High performance penetrating oil enriched with MoS₂.

- Excellent Penetrating
- Protects
- Enriched With MoS₂

Application Areas

Seized and rusted nuts and bolts. Locks and hinges. Screwed parts. Equipment disassembly. Corroded fasteners. Valves. Air tools. Chains and conveyors. Agricultural equipment.

Features

Excellent penetrating capability. Penetrates into hard-to-reach areas quickly. Loosen rusted parts and form a protective layer between metal surfaces. Diminish friction. Remove water and protects against moisture. Protects metal parts and surfaces from corrosion. Eases quick disassembly of mechanical components, fittings, assemblies, nuts and bolts and other close tolerance fasteners. Leaves a solid lubricating MoS₂ film. Reduces wear and facilitates future disassembly. MoS₂ reduces friction even elevated temperatures.

Technical Properties

Basis	: Solvent and oil mixture with MoS ₂
Appearance	: Black colored liquid
Specific gravity	: 0,77±0,03 gr/cm ³
Odor	: Characteristic

Package

Stock Code	Type	Volume	Box
YA020	-	200 ML	24
YA040		400 ml	12



A80 SILICONE LUBRICANT

Silicone based mould release agent. It shows perfect performance even at very high temperatures.

- Anti-Static and Anti-Corrosive
- Non-Toxic
- Silicone Based

Application Areas

As a cleaner and mould release agent in textile, plastic and rubber industries. Windshield wiper linkage. Interior hinges, slides or springs. Snow blower chutes.

Features

Due to its silicone content, provides long working life at high temperatures. Lubricates to reduce friction and eliminate squeaks in all, types of mechanical parts. The product repels water, protects and renews rubber surfaces. Anti-static and anti-corrosive. Does not leave residues. Insoluble in water. Non-toxic.

Technical Properties

Form	: Aerosol
Appearance	: Transparent
Specific gravity	: 0,98 gr/cm ³
Odor	: Characteristic
Flash Point	: N/A

Package

Stock Code	Type	Volume	Box
YA140	-	400 ML	12



Scan QR code for product video.

A90 ANTI SPATTER SPRAY

High performance penetrating oil enriched with MoS₂.

- Anti-Adhesion Product For Arc Welding
- Suitable For Protecting Nozzles, Weld Units And Tools
- Not Flammable After Evaporation Of Solvent

Application Areas

Nozzles and shrouds. Torches. Workpieces and parts. Jigs. Automatic and semi-automatic welding. Welding robots.

Features

Anti-adhesion product for arc welding. Prevents the adhesion of “projections” on all treated surfaces. Suitable for protecting nozzles, weld units and tools. Non flammable after evaporation of the solvent.

Technical Properties

Form	: Aerosol
Appearance	: Transparent
Specific gravity	: 0,98 gr/cm ³
Odor	: Characteristic
Flash Point	: N/A

Package

Stock Code	Type	Volume	Box
YA240	-	400 ML	12



Scan QR code for product video.

A104 LABEL & STICKER REMOVER

Natural orange oil extract developed for removing labels and stickers nice and easy. It can also be used as the ultimate degreaser because of its superficial solving power.

- Quick And Easy Application
- Safe to Use
- Citrus Smell

Application Areas

Safe to use on windows, leather, vinyl, fabric, auto bodies, painted surfaces, tools, plastic, metal and wood.

Features

Directly penetrates to the surface and quickly dissolves adhesive residue from glass and painted surfaces. An easy solution for removing window stickers, bumper stickers, residue from tape, markers, crayons, lipstick, metal parts, motors, tools, printing presses and concrete and others. Safe to use on all nonporous automotive surfaces, metal, paint, bumpers, plastic, and glass windows. Does not damage automotive paint. Can be used to clean the annoying residue from sticky labels. Aerosol spray can allows quick and easy application. Works on many surfaces and has pleasant citrus scent. It also does not contain any CFC propellants, does not damage paintwork or plastics and can be applied to larger areas in minimal time.

Technical Properties

Basis	: Citrus Extract
Consistency	: Liquid
Appearance	: Clear to yellow
Specific Gravity	: 0,78 gr/cm ³
Odor	: Mild Citrus
Flash Point	: 24°C
Boiling Point	: N/A

Package

Stock Code	Type	Volume	Box
YAC104	-	200 ML	24



Scan QR code for product video.



A107 TYRE REPAIR KIT

Eliminates the need for an immediate tyre change, sealing and inflating your tyre within seconds.

- Water Based
- Can Be Cleaned Easily
- Does Not Harm The Tyre Valve

Application Areas

No need for lifting- jack or any other tools. Finds the hole in the tyre and seals it. Water based. Can be cleaned easily with the water after application. Does not harm the tyre valve. Instantly repairs punctured tyres, without removing the wheel. Inflates the tyre (up to a pressure of 1,2 to 2,5 bar), so the vehicle can be ride after the application at a moderate speed. Harmless to tyres and wheels.

Features

For cars, motorcycles, caravans and trailers. For tubeless tyres or tyres with inner tubes.

Technical Properties

Form	: Aerosol
Appearance	: Transparent
Specific gravity	: 1 gr/cm ³
Odor	: Characteristic
Flash Point	: N/A
Solid content	: %50

Package

Stock Code	Type	Volume	Box
OTV60	Aluminium Tube	300 ml	24



Scan QR code for product video.



A110 BRAKE AND CLUTCH CLEANER

Powerful cleaning aerosol is used to remove oil, grease, dirt and dust from brakes and clutches, aiding in the elimination of brake squeal and clutch slip caused by glazing and contamination. Brake cleaner helps brakes last longer and perform better.

- Excellent Penetration
- Non-Staining
- Non Corrosive To Metals

Application Areas

Perfect for cleaning and degreasing:

- Brake linings
- Cylinders
- Disc brake pads
- Wedge brakes
- Calipers
- Drums
- Brake shoes
- Discs
- Springs
- Clutch discs

Features

Effectively removes the deposits like leaking brake fluid, grease, oil and hardened contaminations. Eliminates dust from brake and clutch parts. Reduces disc-brake squeal and clutch chatter. Can be applied without disassembly, saving time and reducing maintenance costs. Evaporates quickly. Leaves no residue. Excellent penetration. Stable, non-staining and non-corrosive to metals. Aerosol is equipped with a 360° (upside-down) spray valve and extension tube for added convenience.

Technical Properties

Form	: Liquid aerosol
Appearance	: Transparent
Specific gravity	: 0,72±0,02 gr/cm ³
Odor	: Characteristic
Flash Point	: N/A

Package

Stock Code	Type	Volume	Box
YA350	-	500 ml	12
YA330	-	30L	1



A114 CARB & CHOKE POLISH FOAM

Product especially developed for improving carburetor performance without disassembling. Designed for cleaning visible carburetor and choke deposits such as sludge, gum and varnish.

- Maximum Fuel Economy
- Powerful Cleaning
- Doesn't Leave Sticky Residue

Application Areas

Gasoline and fuel-injection engine, Carburetor visible parts, Heat Risers, Throttle and choke, Positive Crankcase Ventilating System, Automatic Chokes, Exhaust Gas Recycling Valve (EGR), Crankcase Breather Element, Cleaning intake air valves and idle valves, General Purpose Cleaner For Non-Painted Surfaces.

Features

Maximizes carburetor and fuel system performance to ensure maximum fuel economy. Ideal for all kind of automobile, truck and marine engines. Doesn't leave sticky residue. Effectively cleans clay, gum and varnish. Especially developed for improving carburetor performance without disassembling. Doesn't harm oxygen sensors or catalytic converters. Doesn't contain any harmful gas to the ozone layer. The aerosol can be used at 360 degrees and provides a powerful cleaning feature and offers the advantage of easily cleaning the carburetor and throttle.

Technical Properties

Form	: Aerosol
Color	: Colorless Liquid
Specific Gravity	: 0,824 gr/ml
Odor	: Solvent
Shelf Life	: 24 months

Package

Stock Code	Type	Volume	Box
A114	-	500 ml	12



Scan QR code for product video.



A115 ENGINE CLEANER

Excellent product developed against engine oil, grease and stubborn dirt.

- It Doesn't Damage Any Parts In Engine
- Cleans And Cares
- Harmless For Electronic Circuits

Application Areas

Car Engines, Motorcycles, Machines, It is suitable for all types of engines, such as lawn mowers.

Features

It doesn't damage any parts in engine. Provides a brilliant view and protection to the engine besides the cleaning. Thanks to its superior content, it offers to penetrate and remove the stubborn dirt, oil and grease on the engine. Contains ozone-friendly propellants that do not harm the environment. Harmless for electronic circuits. It easily reaches, penetrates and cleans the most difficult areas. Does not damage rubber, plastic and painted surfaces. Does not contain silicone. It contains citrus essences.

Technical Properties

Form	: Aerosol
Color	: Clear
Odor	: Light citrus
Specific Gravity	: 0,758 g/cm ³

Package

Stock Code	Type	Volume	Box
OEC40	-	500 ml	-



A117 TYRE CLEANER & POLISH FOAM

Specially developed for cleaning, treating and protecting tyres as well as enhancing their appearance in one process. Enhances the appearance of weathered tires by restoring the rubber surface

- Easy To Use
- No Flammable Solvent
- Cleans And Cares

Application Areas

Suitable to use on all kind of vehicle tires like bicycles, motorcycles, automobiles, minibuses, buses, trucks, lorries etc.

Features

Easy to use. Does not contain flammable solvents. Non-acid formula. Self-acting foam removes residues and dirt. Makes tires look like new. Cleans and cares.

Technical Properties

Form : Aerosol liquid

Appearance : White Foam

Density at 20°C : 0,928 g/cm³

Odor : Characteristic

pH : 8-9

Shelf Life (20°C) : 24 months

Package

Stock Code	Type	Volume	Box
OTC70	-	500 ml	12



A120 ANTI GRAVEL CAR UNDERBODY PROTECTION

A modified alkyd resin-based surface protectant, especially developed for the protection of areas where automobiles and commercial vehicles can be exposed to various impacts such as stone bumps.

- Designed For Self Repair Of Your Common Automobile Parts
- Usable In Vertical Position
- Very High Wear Resistance

Application Areas

Can be applied on steel, aluminum, galvanized surfaces, stainless steel, plastic and epoxy coated surfaces. Protecting the wheel wells, rocker panels and undercarriage from inevitable wear and keeping the original appearance.

Features

Creates a hard, textured surface that prevents chips and abrasions from stones and impurities. Compatible with OEM textures. Very high wear resistance. Suitable for oven drying. Easy sanding after drying.

Technical Properties

Chemical Structure	: Modified Alkyd Resin
Density	: 0,97 g/cm ³
Surface Dry Time	: 1 hour
Color	: Black, White, Grey

Package

Stock Code	Type	Volume	Box
YGS121	White	1 kg	6
YGS122	Black	1 kg	6
YGS125	Grey	1 kg	6



SPRAY PAINT

Designed for numerous application possibilities. Special spray system, which is even used by famous graffiti artists. Available in a broad range of the best-selling colours, mainly matching to RAL.

- Excellent Adhesion
- Indoor/ Outdoor Applications
- Quick-Drying

Application Areas

Suitable for wood, metal, paper, glass or paintable hard plastics as well as for many textiles for any variety of designing applications. Also applicable for the designing of finery, concrete and natural stone.

Features

Very good coverage. Excellent adhesion on many surfaces. Good flow, smooth surface. Quick-drying. Suitable for indoor and outdoor applications. The surface is polishable. Weather-resistant, light-proof, UV-resistant. Scratch-, shock- and impact-resistant. Quick-drying (The drying time depends on surrounding temperature, air humidity and thickness of the applied coat).

Technical Properties

Color	: Diverse	
Smell	: Solvent	
Degree of gloss : Glossy	: 80 gloss units	DIN 67530
	Matt: 5-10 gloss units	
Efficiency	: 0.8-1.5 m ² * (depending on colour) (400 mL)	
Drying time (20 °C and 50% R.H.)	: Approx. 10 minutes (Dust-dry) Approx. 15 minutes (Non-sticky) Approx. 30 minutes (Dry to touch) Approx. 2 hours (Cured) Approx. 24 hours (Can be polished)	
Temperature resistance	: Up to 80°C	

Package

Stock Code	Color	Volume	Box
423130	Ral 1003 Gloss Yellow	400 ml	6
423178	Ral 1015 Gloss Cream	400 ml	6
-	Ral 2008 Gloss Orange	400 ml	6
423161	Ral 3002 Glossy Machine Red	400 ml	6
423024	Ral 3020 Gloss Red	400 ml	6
-	Ral 4003 Gloss Pink	400 ml	6
-	Ral 4005 Gloss Purple	400 ml	6
-	Ral 5002 Gloss Blue	400 ml	6
423031	Ral 5017 Gloss Blue	400 ml	6
423057	Ral 6005 Moss Green	400 ml	6
423185	Ral 6016 Gloss Green	400 ml	6
423053	Ral 7001 Silver Grey	400 ml	6
423056	Ral 7011 Iron Grey	400 ml	6
423109	Ral 7035 Gloss Grey	400 ml	6
423116	Ral 8017 Brown	400 ml	6
423017	Ral 9003 Gloss White	400 ml	6
423123	Ral 9003 Matte White	400 ml	6
422997	Ral 9005 Gloss Black	400 ml	6
423000	Ral 9005 Matte Black	400 ml	6
423154	Ral 9006 Wheel Aluminium	400 ml	6
423055	Metalic Silver	400 ml	6
423079	Glossy Clear Coat	400 ml	6



A108 PAINT REMOVER

An aerosol stripper which removes paint from most types of surfaces. The convenient aerosol can be easily sprayed to hard to-reach areas and does not drip or run.

- Aggressively Strips Even The Toughest Paints
- Convenient Spray Is Easy To Use
- Ease Of Use Saves Time

Application Areas

Any metallic surface with mild to heavy paint remains. Removes acrylics, epoxies, lacquers, adhesives and most other automotive finishes. Light industrial environments. Should not be used on fiberglass, plastics, styrene related plastics, vinyl, linoleum.

Features

Aggressively strips even the toughest paints. Convenient spray is easy to use. Ease of use saves time. No wastage due to accurate spray. Spray gets into hard to reach areas. Clings well to vertical surfaces. Thick formula clings to extend contact time. Easy clean up.

Technical Properties

Form	: Aerosol
Appearance	: Transparent
Specific gravity	: 0,972 gr/cm ³
Propellant	: Hydrocarbon
Stripping Time	: Minimum 5 min.

Package

Stock Code	Type	Volume	Box
YAC102	-	400 ml	6

Akfix®

■ MASTER OF SOLUTIONS ■

Aerosol *Products*

www.Akfix.com

    /Akfixsealants

